

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/751,510	01/06/2004	Robert W. Jones	14991.01	3347
7:	590 02/02/2006		EXAM	INER
Richard C. Lit	tman	DRODGE, JOSEPH W		
LITMAN LAW	OFFICES, LTD.			
P.O. BOX 15035			ART UNIT	PAPER NUMBER
Arlington, VA 22215			1723	
			D. 1777 1.4.11 FD. 00/00/000	,

DATE MAILED: 02/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	·					
	Application No.	Applicant(s)				
	10/751,510	JONES, ROBERT W.				
Office Action Summary	Examiner	Art Unit				
	Joseph W. Drodge	1723				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a reply be reply within the statutory minimum of thirty (30) riod will apply and will expire SIX (6) MONTHS atute, cause the application to become ABANDO	e timely filed days will be considered timely. from the mailing date of this communication. DNED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 2	6 January 2006					
, <u></u>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 12-20 is/are pending in the application 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) □ Claim(s) 12-20 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	drawn from consideration.					
Application Papers						
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) a Applicant may not request that any objection to the Replacement drawing sheet(s) including the con 11) The oath or declaration is objected to by the	accepted or b) objected to by the drawing(s) be held in abeyance. rection is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for fore a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority docum 2. ☐ Certified copies of the priority docum 3. ☐ Copies of the certified copies of the papplication from the International Bur * See the attached detailed Office action for a	ents have been received. ents have been received in Applic priority documents have been received in PCT Rule 17.2(a)).	cation No eived in this National Stage				
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Feview (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date 	4) Interview Summ Paper No(s)/Ma 708) 5) Notice of Inform 6) Other:					

Claims 12-20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Recitations in claim 12, line 6 and other text of claim 12 of the filter insert angled side being "planar" are not explicitly supported by the instant Specification and thus constitute NEW MATTER. Although, the schematic drawings suggest generally flat surfaces, including the angled surface, the language "planar" or any equivalent does not appear; for instance, page 7, lines 18-20 merely denote "outer angular side" 26.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

The Affidavit filed on December 19, 2005 under 37 CFR 1.131 is sufficient to overcome the Pourdeyhimi et al reference.

Claims 12,13,15-17,19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dugan patent 3,855,132 in view of Groth et al patent 6,932,911 (having an effective filing date of February 18, 2003 based on provisional application 60/448,082), newly cited. It is noted that 2/18/03 is prior to the critical March 2003 date noted in Applicant's recently filed Affidavit. Dugan discloses a foam filter insert 2, of open cell foam material (Abstract and column 2, lines 21-26), combined with a gutter 5 having all of the cross-sectional features of filter insert and gutter of the instant claims, including angled or triangular sides 7 between front edge of outer portion of upper side and lower side that is forward of rear edge of lower side, so as to generally correspond to the generally triangular shape of outer surface of the corresponding gutter, while leaving some void space between filter insert and lower and outer sides of the gutter (see especially figure 1 and column 1, lines 56-60).

Dugan, in each of the figure 1 and figure 2 embodiments, disclose the filter insert having a generally horizontal upper side 6 (see column 2, lines 5-7), generally vertical rear side 5 that is perpendicular to the upper side and bearing against the rear side of the gutter, and a lower side parallel with the upper side, and bearing against the gutter lower wall in the figure 1 embodiment, and a planar angled side extending downwardly and inwardly towards the lower filter insert side from the front edge of the upper side of the filter insert, such front edge being adjacent the gutter front wall upper lip. The

Application/Control Number: 10/751,510

Art Unit: 1723

general form of the filter insert of Dugan approximates a combination of an upper truncated right triangular prism with a lower rectangular prism.

In the figure 1 embodiment, a filter insert configuration that allows free flow of liquid is provided by way of forming the filler with a pre-cut slot on its lower side or manufacturing it to not extend all the way to the gutter bottom while being supported by spaced supports 7 (see column 2, lines 9-20).

In the figure 2 embodiment, the filter insert is configured and manufactured to essentially fill the entire inner volume of the gutter. It is stated that the filter insert may either be manufactured to be cut to the gutter shape or alternatively, be cut to a larger size and compressed to fit the trough of the gutter.

The claims differ in requiring the insert to have the overall form of a truncated right triangle, where the angled side extends all the way downwardly and inwardly to a forward edge of the lower side of the gutter insert, and such as to leave a void having a substantially triangular-shaped cross section between the bottom and front walls of the gutter and the angled side of the insert.

Groth et al teach such outer angled surface of a filter insert 20 extending all the way from upper side of the filter insert adjacent upper lip of the gutter to the lower side of the filter insert and imparting a general form of a truncated right triangle for the elongated filter insert. This feature is clearly shown as leaving the instantly claimed triangularly shaped void between bottom and outer walls of gutter and angled surface 26 of filter insert (figure 2 and column 5, lines 28-44). Alternatively, the embodiment of figure 4 shows angled surface 226/227 of the filter insert more closely aligned with the

Art Unit: 1723

outer gutter wall, with their being one or more void spaces 215 in the lower or outer surface of the filter insert (also see column 5, line 64-column 6, line 12 of the Groth patent and figure 4 and page 7 (Second Embodiment) of the Groth provisional application. This alternative embodiment also imparts the general form of a truncated right triangle to the filter insert. For the alternative embodiment, one of ordinary skill would obviously envision the option of a void space 215 being formed at the juncture of bottom wall and outer angled wall of the filter insert giving a generally triangular shaped void as instantly claimed.

It would have been obvious to one of ordinary skill in the art to have manufactured the filter insert of Dugan to contain such angled side taught by Groth et al, in order to better fit the insert into gutters having an angled outer wall, gutters conventionally having such angled outer wall to facilitate ease and quickness of installation of the filter insert into the gutter by the homeowner, and/or to achieve secure fitting of the filter insert within the gutter to give form and solidity to the gutter, and while also enabling free flow of runoff water during relatively heavy rainfall events (see column 4, lines 5-27 of Groth).

As to claim 16, figure 1 also shows a gutter inner lip portion extending downward and then inward

For claim 17, figure 1 also illustrates the gutter and filter insert being located below the draining eave of 4 of a roof.

Regarding claim 13, requiring foam material to have 10 to 20 cells per square inch, such limitation is taught by Dugan at column 2, lines 36-38.

Regarding claims 15 and 19, Dugan teaches a gutter filter insert with four foot lengths of foam at column 2, lines 27-34.

For claim 20, Dugan also discloses the filter insert being readily placed or fitted into the trough of gutter walls (column 1, lines 56-60 and 26-28, hence also removable from the gutter

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dugan in view of Groth et al as applied to claims 12 and 13 and further in view of Etani patent 3,946,362 of record. Claim 14 specifies polyether foam, Dugan teaching polyurethane foam and Etani teaching that polyether foam is a component of polyurethane foam filters. It would have been obvious to have utilized polyether or polyurethane foam for the filter insert of Dugan, as taught by Etani, since these materials are readily available and easily manufactured and processed.

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dugan in view of Groth et al as applied to claims 12 and 13 and further in view of Hunt patent 5,103,601 of record. Claim 18 differs in requiring gutter spikes extending through the gutter upper lip to secure gutter to building structure. It would have been further obvious to one of ordinary skill in the art to have utilized the spikes of Hunt in the installation of gutter and insert of Dugan, in order to firmly secure gutter to building so that it does not fall off.

Applicant's arguments with respect to claims 12-20 have been considered but are moot in view of the new ground(s) of rejection.

Application/Control Number: 10/751,510 Page 7

Art Unit: 1723

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Olthoff patent publication US2005/0178072, although not constituting prior art, is made of record, as it contains similar subject matter in the Specification and is drawn to claims somewhat similar to the instant claims.

Application/Control Number: 10/751,510 Page 8

Art Unit: 1723

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Drodge at telephone number 571-272-1140. The examiner can normally be reached on Monday-Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker, can reached at 571-272-1151. The fax phone number for the examining group where this application is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or Public PAIR, and through Private PAIR only for unpublished applications. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JWD

February 1, 2006